

II. It pings each IP address to check if it's alive

2% - IP Range - Angry IP Scanner


Scan Go to Commands Favorites Tools Help

IP Range: 192.168.0.1 to 192.168.255.254 IP Range ✕

Hostname: JYOTI-PC ↑ IP Netmask ⌵ Stop 🗑️

| IP | Ping | Hostname | Ports [0+] |
|--------------|-------|----------|------------|
| 192.168.0.1 | [n/a] | [n/s] | [n/s] |
| 192.168.0.2 | [n/a] | [n/s] | [n/s] |
| 192.168.0.3 | [n/a] | [n/s] | [n/s] |
| 192.168.0.4 | [n/a] | [n/s] | [n/s] |
| 192.168.0.5 | [n/a] | [n/s] | [n/s] |
| 192.168.0.6 | [n/a] | [n/s] | [n/s] |
| 192.168.0.7 | [n/a] | [n/s] | [n/s] |
| 192.168.0.8 | [n/a] | [n/s] | [n/s] |
| 192.168.0.9 | [n/a] | [n/s] | [n/s] |
| 192.168.0.10 | [n/a] | [n/s] | [n/s] |
| 192.168.0.11 | [n/a] | [n/s] | [n/s] |
| 192.168.0.12 | [n/a] | [n/s] | [n/s] |
| 192.168.0.13 | [n/a] | [n/s] | [n/s] |
| 192.168.0.14 | [n/a] | [n/s] | [n/s] |
| 192.168.0.15 | [n/a] | [n/s] | [n/s] |
| 192.168.0.16 | [n/a] | [n/s] | [n/s] |
| 192.168.0.17 | [n/a] | [n/s] | [n/s] |
| 192.168.0.18 | [n/a] | [n/s] | [n/s] |
| 192.168.0.19 | [n/a] | [n/s] | [n/s] |
| 192.168.0.20 | [n/a] | [n/s] | [n/s] |
| 192.168.0.21 | [n/a] | [n/s] | [n/s] |
| 192.168.0.22 | [n/a] | [n/s] | [n/s] |
| 192.168.0.23 | [n/a] | [n/s] | [n/s] |
| 192.168.0.24 | [n/a] | [n/s] | [n/s] |

Started 192.168.3.238 Display: All Threads: 100 (max)



- It is widely used by network administrators and just curious users around the world, including large and small enterprises, banks, and government agencies.
- It runs on Linux, Windows, and Mac OS X, possibly supporting other platforms as well.